Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

 (currently amended) A method for managing a plurality of highavailability-aware <u>applications</u> components in a networked computer system comprising:

<u>Invoking a registration application programming interface by registering</u> the plurality of high-availability-aware <u>applications</u> components to be managed; and

invoking callback interfaces of registered applications to dynamically allocate allocating roles and assignments to one or more of registered applications components of the plurality of high-availability-aware applications components to achieve a desired redundancy level based on application component type information.

- (currently amended) The method of claim 1, further comprising:
 providing information through the application programming interface to the
 registered applications components so that related applications components
 among the registered components may communicate to achieve the desired
 redundancy level.
- 3. (currently amended) The method of claim 2, further comprising: maintaining software release domain information, wherein the software release domain information is provided to the related applications components during the providing step.

2

- (currently amended) The method of claim 1, further comprising:
 performing administrative actions on the registered <u>applications</u>
 components in response to a request from an external management agent.
- (currently amended) The method of claim 1, further comprising:
 responding to an error by changing roles and assignments of the
 registered components applications via the invocation of the callback interfaces
 of the registered applications.
- 6. (currently amended) The method of claim 5, further comprising:
 maintaining <u>application</u> component relationship information,
 wherein the <u>application</u> component relationship information is used during
 the allocating step and the responding step.
- 7. (canceled)
- 8. (original) The method of claim 5, wherein the responding step uses protection group information.
- 9. (currently amended) The method of claim 5, wherein the responding step further comprises:

choosing an appropriate response; and altering assignments and roles of the registered applications components according to the appropriate response.

- 10. (original) The method of claim 9, wherein the appropriate response includes restart, fail-over, switch-over, node fail-over, and node switch-over.
- 11. (currently amended) The method of claim 1, wherein the roles allocated to the one or more of the registered <u>applications</u> components include off-line, spare, primary, secondary, and quiescing.

3

- 12. (currently amended) The method of claim 1, further comprising:

 maintaining <u>application</u> component relationship information,

 wherein the <u>application</u> component relationship information is used during the allocating step.
- 13. (canceled)
- 14. (original) The method of claim 1, wherein the allocating step uses protection group information.
- 15. (currently amended) The method of claim 1, wherein the allocating step assigns a specific role and assignment to a self-determining <u>application</u> component in the registered <u>applications</u> components.
- 16. (currently amended) The method of claim 1, wherein the plurality of high-availability-aware <u>applications</u> eempenents include stand-alone <u>applications</u> eempenents, proxied <u>applications</u> eempenents, and proxy <u>applications</u> eempenents.
- 17. (currently amended) The method of claim 1, wherein the <u>application</u> component type information includes functional attributes, recovery parameter attributes, <u>application</u> component instance level attributes, and <u>application</u> component assignment level attributes.
- (currently amended) A method of allocating an assignment in a networked computer system comprising;

registering a plurality of components applications through an application programming interface, wherein the plurality of applications components are high-availability aware;

allocating roles to registered applications components of the plurality of components applications by invoking a callback interface of registered applications;

allocating the assignment to a first application component selected from the registered applications components based on application component type information of the first component application by invoking a callback interface of the first application;

changing a role of the first application component to primary by invoking a callback interface of the first application;

determining [[a]] an application specific redundancy level based on the application component type information;

allocating the assignment to a predetermined number of secondary applications components selected from the registered applications components based on application component type information of the secondary applications components, wherein the predetermined number is based on the redundancy level of the application by invoking a callback interface of the secondary applications:

changing roles of the predetermined number of secondary applications components to secondary by invoking a callback interface of the secondary applications; and

notifying the first component application by invoking a callback interface of the first application about the predetermined number of secondary applications components and the predetermined number of secondary applications components about the first component application by invoking a callback interface of the second applications.

19. (currently amended) The method of claim 18, further comprising: detecting an error affecting the first application component;

selecting a new primary <u>application</u> component from the predetermined number of secondary <u>applications</u> components; and

changing a role of the new primary <u>application</u> component to primary <u>by</u> invoking a callback interface of the <u>new primary application</u>.

- 20. (currently amended) The method of claim 19, further comprising: instructing the first component application, by invoking a callback interface of the first application, to communicate information to the new primary application component.
- 21. (currently amended) The method of claim 18, further comprising: detecting an error affecting the first <u>application</u> component; and restarting the first <u>application</u> component.
- 22. (original) The method of claim 18, further comprising: maintaining software release domain information, wherein the software release domain information is included in the notifying step.
- 23. (currently amended) The method of claim 18, further comprising:

 performing administrative actions on the registered <u>applications</u>

 components in response to a request from an external management agent.
- 24. (currently amended) The method of claim 18, further comprising: maintaining <u>application</u> component relationship information; wherein the <u>application</u> component relationship information is used in the two assignment allocating steps.

25. (currently amended) A method of allocating an assignment to a plurality of high-availability-aware applications components in a networked computer system, the method comprising;

registering the plurality of high-availability-aware semponents applications through an application programming interface;

allocating roles to registered applications components of the plurality of high-availability-aware components applications by invoking a callback interface of the registered applications;

maintaining application component relationship information;

selecting a first application component from the registered applications components based on application component type information and the application component relationship information;

allocating the assignment to the first component application by invoking a callback interface of the first application;

changing a role of the first application component to primary by invoking a callback interface of the first application;

determining a redundancy level based on the application sempenent type information;

selecting a predetermined number of secondary applications components from the registered applications components based on application component type information of the secondary applications components and the application component relationship information, wherein the predetermined number is based on the determined redundancy level;

changing roles of the predetermined number of secondary applications components to secondary by invoking a callback interface of the secondary applications; and

notifying the first application, by invoking a callback interface of the first application, component about the predetermined number of secondary

From-HOGAN&HARTSON

applications components and the predetermined number of secondary applications, by invoking a callback interface of the secondary applications, components about the first application component.

26. (currently amended) The method of claim 25, further comprising: detecting an error affecting the first application component; selecting a new primary application component from the predetermined number of secondary applications components using the application component relationship information; and

changing a role of the new primary application component to primary by invoking a callback interface of the new primary application.

- 27. (currently amended) The method of claim 26, further comprising: instructing the first application compenent to communicate information to the new primary component application by invoking a callback interface of the first application.
- 28. (original) The method of claim 25, further comprising: maintaining software release domain information, wherein the software release domain information is included in the notifying step.
- 29. (currently amended) The method of claim 25, further comprising: performing administrating actions on the registered applications components in response to a request from an external management agent.
- 30. (currently amended) A computer program product for managing a plurality of high-availability-aware applications components in a networked computer system, the computer program product comprising:

From-HOGAN&HARTSON

computer readable program code configured to register the plurality of high-availability-aware <u>applications</u> components to be managed <u>by invoking a registration application programming interface</u>;

computer readable program code configured to dynamically allocate roles and assignments to one or more [[of]] registered <u>applications</u> components of the plurality of high-availability-aware <u>applications</u> components to achieve a desired redundancy level based on <u>application</u> component type information <u>by invoking a callback interface of the registered applications</u>; and

a computer readable medium having the computer readable program codes embodied therein.

31. (currently amended) The computer program product of claim 30, further comprising:

computer readable program code configured to provide information to the registered <u>applications</u> components so that related <u>applications</u> components may communicate to achieve the desired redundancy level.

32. (currently amended) The computer program product of claim 30, further comprising:

computer readable program code configured to respond to an error by changing roles and assignments of one or more of the plurality of components applications by invoking a callback interface of the registered applications.

33. (currently amended) A computer readable medium configured to embody computer programming instructions for managing a plurality of high-availability-aware <u>applications</u> components in a networked computer system, the computer programming instructions comprising:

registering the plurality of high-availability-aware applications components to be managed through an application programming interface; and

dynamically allocating roles and assignments to registered applications components of the plurality of high-availability-aware applications components to achieve a desired redundancy level based on application eempenent type information by invoking a callback interface of the registered applications.

34. (currently amended) A computer program product for allocating an assignment in a networked computer system, the computer program product comprising

computer readable program code configured to provide an application programming interface to register a plurality of high-availability-aware applications components;

computer readable program code configured to allocate roles to registered applications components of the plurality of high-availability-aware components applications by invoking a callback interface of the registered applications;

computer readable program code configured to allocate the assignment to a first application component selected from the registered applications eempenents based on application eempenent type information of the first component application by invoking a callback interface of the first application:

computer readable program code configured to change a role of the first application component to primary by invoking a callback interface of the first application;

computer readable program code configured to determine a redundancy level based on the application component type information;

computer readable program code configured to allocate the assignment to a predetermined number of secondary applications components selected from the registered applications components based on application component type information of the secondary components, wherein the predetermined number is

based on the redundancy level by invoking a callback interface of the secondary applications;

computer readable program code configured to change roles of the predetermined number of secondary <u>applications</u> eomponents to secondary <u>by invoking a callback interface of the second applications</u>;

computer readable program code configured to notify the first component application by invoking a callback interface of the first application about the predetermined number of secondary <u>applications</u> components and the predetermined number of secondary <u>applications</u> components about the first component <u>application by invoking a callback interface of the secondary <u>applications</u>; and</u>

a computer readable medium having the computer readable program codes embodied therein.

35. (currently amended) The computer program product of claim 34, further comprising:

computer readable program code configured to detect an error affecting the first <u>application</u> component;

computer readable program code configured to select a new primary application component from the predetermined number of secondary applications components; and

computer readable program code configured to change a role of the new primary <u>application</u> component to primary <u>by invoking a callback interface of the new primary application</u>.

36. (currently amended) A system for managing a plurality of high-availability-aware <u>applications</u> components in a networked computer system, the system comprising:

From-HOGAN&HARTSON

means for registering the plurality of high-availability-aware applications components to be managed through an application programming interface; and means for dynamically allocating roles and assignments to one or more of registered applications components of the plurality of high-availability-aware applications components to achieve a desired redundancy level based on application component type information by invoking a callback interface of the registered applications.[[;]]

- (currently amended) The system of claim 36, further comprising: 37. means for responding to an error by changing roles and assignments of one or more of the registered components applications by invoking a callback interface.
- (currently amended) The system of claim 36, further comprising: 38. means for providing information through the application programming interface to the registered applications components so that related applications components may communicate to achieve the desired redundancy level.
- (currently amended) The system of claim 36, further comprising: 39. means for performing administrative actions on the registered applications components in response to a request from an external management agent.
- 40. (currently amended) A system for allocating an assignment in a networked computer system, the system comprising:

means for registering a plurality of high-availability-aware components applications through an application programming interface;

means for allocating roles to registered applications components of the plurality of high-availability-aware components applications by invoking a callback interface of the registered applications;

From-HOGAN&HARTSON

means for allocating the assignment to a first <u>application</u> sempenent selected from the registered <u>applications</u> components based on <u>application</u> component type information of the first component <u>application</u> by invoking a <u>callback interface of the first application</u>;

means for changing a role of the first <u>application</u> component to primary <u>by</u> <u>invoking a callback interface</u> of the first application:

means for determining a redundancy level based on the <u>application</u> component type information;

means for allocating the assignment to a predetermined number of secondary <u>applications</u> components selected from the registered <u>applications</u> components based on <u>application</u> component type information of the secondary <u>applications</u> components, wherein the predetermined number is based on the redundancy level <u>by invoking a callback interface of the secondary applications</u>;

means for changing roles of the predetermined number of secondary applications components to secondary by invoking a callback interface of the secondary applications; and

means for notifying the first <u>application</u> component about the predetermined number of secondary components <u>applications</u> by invoking a <u>callback interface of the first application</u> and the predetermined number of secondary <u>applications</u> components about the first component <u>application</u> by invoking a <u>callback interface of the secondary applications</u>.

41. (currently amended) A mechanism configured to manage a plurality of high-availability-aware <u>applications</u> eempenents in a networked computer system, the mechanism comprising:

a mechanism configured to register through an application programming interface the plurality of high-availability-aware applications components to be managed; and

a mechanism configured to dynamically allocate roles and assignments to registered <u>applications</u> components of the plurality of high-availability-aware <u>applications</u> components to achieve a desired redundancy level based on <u>application</u> component type information <u>by invoking a callback interface of the registered applications</u>.

- 42. (currently amended) The mechanism of claim 41, further comprising: a mechanism configured to respond to an error by changing roles and assignments of the registered components applications by invoking a callback interface of the registered applications.
- 43. (currently amended) The mechanism of claim 41, further comprising:
 a mechanism configured to provide information to the registered
 applications components so that related applications components among the
 registered applications components may communicate to achieve the desired
 redundancy level.
- 44. (currently amended) The mechanism of claim 41, further comprising:
 a mechanism configured to perform administrative actions on the
 registered <u>applications</u> components in response to a request from an external management agent.
- 45. (currently amended) The mechanism of claim 41, further comprising: a mechanism configured to maintain additional information relevant to managing the registered <u>applications</u> semponents.
- 46. (currently amended) The mechanism of claim 45, wherein the additional information includes information regarding software release domains, <u>application</u> sempenent relationships, and protection groups.